


Tie Bulk Handling Attachments

Specialised solutions and equipment for bulk handling of ties



Specialized machines, attachments and tools for Permanent
Way maintenance, designed and manufactured to ensure
quality, reliability and safety.



WESTCODE

a Unipart Rail Company



**THOMSON
ENGINEERING
DESIGN**

Durable, Reliable and Safe


Whatever your requirement for bulk handling of ties, we have a solution.

We can provide solutions for all types of crane, excavator, shovel, tele-handler and materials handler; covering all types of ties and power sources.


All hydraulic models are fitted with pressure reducing valves to allow them to be fitted to almost any host machine and check valves on the cylinders to lock the grab in the event of a hydraulic failure. All models can be fitted with 'parachute' valve systems, which lock the jaws when the device is lifted, preventing accidental release of the ties during the operation.

All models designed for handling concrete ties incorporate hard wearing urethane pads wherever contact is made with the surface, preventing damage to the concrete surface whilst improving grip.

Single Layer Tie Handlers



Light weight Tie grabs: Primarily intended for use with self loading truck cranes for the delivery of small numbers of ties (2 to 6 per lift). All models are fully adjustable to suit all types of tie



Single Layer Hinged Jaw Tie Handlers: Robust devices primarily intended as attachments for excavators and materials handlers.


Designed for full-time use in arduous operations such as tie manufacturing works or for use on site loading and unloading tie delivery trains, the range includes models for 4 to 12 ties per lift.



Sliding Jaw Tie Handlers: Where ties of different lengths or random cut ties must be handled, these handlers provide a safe and robust solution. The range includes models for handling 2 to 12 ties per lift and can be adapted to suit almost all types of hydraulic machine including truck mounted cranes.



Mechanically Actuated Handlers: Where no hydraulic power is available, the mechanically actuated range of tie handlers use a 'ballpoint pen' mechanism to latch and release the jaws each time the device is put down; automatically grabbing the ties to lift them and releasing them when they are put down again.



Power Options: As an alternative to the mechanical system a hydraulic power pack can be built into the frame of the tie handler.

Powered either by batteries or a small combustion engine and controlled by either a radio remote controller or a plug-in pendant controller this system makes the handler completely self contained.

Multiple handlers can be linked together to provide a larger handling capacity. Linking them beneath a separate frame allows the device to cope with undulating layers of ties stacked on uneven ground.


Dual Layer Tie Handlers

- Hinged jaws and thick urethane pads provide an ideal solution for handling two layers of ties per lift.
- Sliding jaws, mechanically synchronised allow different tie types to be handled. Models are available to handle any number of ties per layer; limited only by the capacity of the host machine.
- Whether hinged or sliding jaws are chosen, all models are adjustable for different tie heights and also have capacity to carry a top layer of timber dunnage.
- The location of the pads which rest on top of the upper layer can be tailored to suit individual requirements.
- All models can be specified with built in power packs and sliding jaw models can be specified with mechanical actuation.



Multi-Layer Tie Handlers

- Multi-Layer Tie Handlers are commonly equipped with sliding jaws, however hinged jaw models can also be supplied.
- Handlers can be supplied for any number of ties per layer and any number of layers per lift. The only limit is the capacity of the host machine.
- Mechanical actuation and built in power packs with remote control are available where gantry cranes or mobile cranes are to be used.
- The sliding jaw design incorporates large, hardened steel rollers and a mechanical synchronizing system to balance the load.
- Hydraulic models have four independent hydraulic cylinders with check valves fitted to prevent loss of grip in the event of a hydraulic failure.



All bulk tie handling grabs and beams are custom made to suit individual customer and project specifications - contact us at railplant@westcodeus.com to discuss your specific requirements.

About Unipart

The Unipart Group is a leading UK manufacturer, full service logistics provider and consultant in operational excellence. Operating across a range of market sectors, including automotive, manufacturing, mobile telecoms, rail, retail and technology, Unipart offers a breadth of services to a wide range of blue chip clients internationally.

About Thomson Engineering Design

Thomson Engineering Design has been manufacturing specialised equipment for rail renewals and repairs since 1999 and in that time have become the premier supplier of attachments for Road Rail Vehicles. Offering a range of over 100 products for all rail maintenance sectors and activities, Thomson are a key supplier for all rail plant companies in the UK.



For more information on the complete range of solutions from Thomson Engineering Design, contact us at **railplant@westcodeus.com**

Westcode Inc

223 Wilmington - West Chester Pike
Suite 105, Chadds Ford
PA 19317
T: +1 (0) 610 738 1200
email: sales@westcodeus.com
www.westcodeus.com

Unipart Rail products are distributed through

